



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date: 11.02.2018

Version No: 5

Revision: 11.02.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Tabz TEA Clean - Tea Equipment Cleaning Tablets
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation:** Tea equipment cleaning tablets
- **Uses advised against:** No further relevant information available.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

Urnex Brands, LLC	Urnex Brands, LLC
700 Executive Blvd.	29 Harley Street, London, W1G 9QR
Elmsford, NY 10523 USA	United Kingdom
Phone: +1-914-963-2042	Tel: +44 (0)20 7927 6881
Fax: +1-914-963-2145	
Email: info@urnex.com	
- **Further information obtainable from:**

Urnex Brands, Inc.	
700 Executive Blvd.	
Elmsford, NY 10523 USA	
Phone: +1-914-963-2042	
Fax: +1-914-963-2145	
Email: info@urnex.com	
- **1.4 Emergency telephone number:**
Tel.: International: +1 (352) 323-3500

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**

Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
Xi; Irritant
R38-41: Irritating to skin. Risk of serious damage to eyes.
R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date: 11.02.2018

Version No: 5

Revision: 11.02.2018

Trade name: Tabz TEA Clean - Tea Equipment Cleaning Tablets

(Contd. of page 1)

Hazard pictograms


GHS07

Signal word Warning

Hazard-determining components of labelling:

disodium metasilicate

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards
Results of PBT and vPvB assessment

PBT: Not determined

vPvB: Not determined

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures
Dangerous components:

CAS: 497-19-8 EINECS: 207-838-8 Index number: 011-005-00-2	sodium carbonate ☒ Xi R36 ⚠ Eye Irrit. 2, H319	< 45%
CAS: 15630-89-4 EINECS: 239-707-6	disodium carbonate, compound with hydrogenperoxide (2:3) ☒ Xn R22; ☒ Xi R41; 🔥 O R8 ⚠ Ox. Liq. 2, H272; ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	< 15%
CAS: 25322-68-3 NLP: 500-038-2	Polyethylene glycol ⚠ STOT SE 3, H335	< 15%
CAS: 6834-92-0 EINECS: 229-912-9 Index number: 014-010-00-8	disodium metasilicate ☒ C R34; ☒ Xi R37 ⚠ Met. Corr.1, H290; Skin Corr. 1B, H314; ⚠ STOT SE 3, H335	< 10%
CAS: 51580-86-0 EINECS: 220-767-7 Index number: 613-030-01-7	troclosene sodium, dihydrate ☒ Xn R22; ☒ Xi R36/37; ☒ N R50/53 R31 ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335	< 1%

Regulation (EC) No 648/2004 on detergents / Labelling for contents

phosphates

15 - 30%

(Contd. on page 3)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date: 11.02.2018

Version No: 5

Revision: 11.02.2018

Trade name: Tabz TEA Clean - Tea Equipment Cleaning Tablets

(Contd. of page 2)

oxygen-based bleaching agents

5 - 15%

chlorine-based bleaching agents

< 5%

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **General information:**

Take affected persons out of danger area and lay down.

Immediately remove any clothing soiled by the product.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Seek medical treatment.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide

Carbon dioxide

Under certain fire conditions, traces of other toxic gases cannot be excluded.

· 5.3 Advice for firefighters

· **Protective equipment:** Wear self-contained respiratory protective device.

· **Additional information**

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective clothing.

Avoid formation of dust.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Prevent seepage into sewage system, workpits and cellars.

(Contd. on page 4)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date: 11.02.2018

Version No: 5

Revision: 11.02.2018

Trade name: Tabz TEA Clean - Tea Equipment Cleaning Tablets

(Contd. of page 3)

- **6.3 Methods and material for containment and cleaning up:**
Pick up mechanically.
Ensure adequate ventilation.
Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Any unavoidable deposit of dust must be regularly removed.
- **Information about fire and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:**
Store away from reducing agents.
Store away from oxidising agents.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store under lock and key and out of the reach of children.
Protect from humidity and water.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**

51580-86-0 troclosene sodium, dihydrate (< 1%)

WEL	Short-term value: 0.07 mg/m ³ Long-term value: 0.02 mg/m ³ Sen; as -NCO
-----	---

- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Do not eat, drink, smoke or sniff while working.
Do not inhale dust / smoke / mist.
Immediately remove all soiled and contaminated clothing.
Avoid contact with the eyes and skin.
The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:** Not necessary if room is well-ventilated.
- **Protection of hands:**



Protective gloves

(Contd. on page 5)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date: 11.02.2018

Version No: 5

Revision: 11.02.2018

Trade name: Tabz TEA Clean - Tea Equipment Cleaning Tablets

(Contd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· **Material of gloves**

Natural rubber, NR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses

· **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Solid

Colour: White

· **Odour:** Characteristic

· **pH-value (10 g/l) at 20 °C:** 11.20 - 11.45

· **Change in condition**

Melting point/Melting range: Not determined.

Boiling point/Boiling range: Not determined.

· **Flash point:** Not determined.

· **Flammability (solid, gaseous):** Product is not flammable.

· **Ignition temperature:** Not determined.

· **Decomposition temperature:** Not determined.

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Oxidising properties No

· **Density:** Not determined.

· **Solubility in / Miscibility with water:**

Soluble.

· **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.

· **10.2 Chemical stability** No decomposition if used and stored according to specifications.

· **Thermal decomposition / conditions to be avoided:**

No decomposition if used and stored according to specifications.

· **10.3 Possibility of hazardous reactions**

Reacts with reducing agents.

(Contd. on page 6)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date: 11.02.2018

Version No: 5

Revision: 11.02.2018

Trade name: Tabz TEA Clean - Tea Equipment Cleaning Tablets

(Contd. of page 5)

- Reacts with strong acids and oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Strong oxidizing agents
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

497-19-8 sodium carbonate

Oral	LD50	4090 mg/kg (Rat)
------	------	------------------

15630-89-4 disodium carbonate, compound with hydrogenperoxide (2:3)

Oral	LD50	1034 mg/kg (Rat)
------	------	------------------

25322-68-3 Polyethylene glycol

Oral	LD50	>10000 mg/kg (Rat)
------	------	--------------------

Dermal	LD50	>20000 mg/kg (Rabbit)
--------	------	-----------------------

6834-92-0 disodium metasilicate

Oral	LD50	1153 mg/kg (Rat)
------	------	------------------

51580-86-0 troclosesone sodium, dihydrate

Oral	LD50	1400 mg/kg (Rat)
------	------	------------------

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitisation:** No sensitising effects known.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Irritant

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability**
Anorganic product, is not eliminable from water by means of biological cleaning processes.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Harmful to aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not determined

(Contd. on page 7)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date: 11.02.2018

Version No: 5

Revision: 11.02.2018

Trade name: Tabz TEA Clean - Tea Equipment Cleaning Tablets

(Contd. of page 6)

- **vPvB:** Not determined
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation:** Must be specially treated adhering to official regulations.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|---|--|
| · 14.1 UN-Number | Void |
| · ADR, IMDG, IATA | Void |
| · 14.2 UN proper shipping name | Void |
| · ADR, IMDG, IATA | Void |
| · 14.3 Transport hazard class(es) | Void |
| · ADR, IMDG, IATA | Void |
| · Class | Void |
| · 14.4 Packing group | Void |
| · ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards: | |
| · Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: | Not applicable. |
| · Transport/Additional information: | Not dangerous according to the above specifications. |
| · UN "Model Regulation": | - |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
- H272 May intensify fire; oxidiser.
- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.

(Contd. on page 8)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date: 11.02.2018

Version No: 5

Revision: 11.02.2018

Trade name: Tabz TEA Clean - Tea Equipment Cleaning Tablets

(Contd. of page 7)

- H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
- R22 Harmful if swallowed.
R31 Contact with acids liberates toxic gas.
R34 Causes burns.
R36 Irritating to eyes.
R36/37 Irritating to eyes and respiratory system.
R37 Irritating to respiratory system.
R41 Risk of serious damage to eyes.
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R8 Contact with combustible material may cause fire.

Department issuing SDS:

Chemservice GmbH
Herrnsheimer Hauptstrasse 1b
D-67550 Worms
Tel.: +49 (0)6241-95480-0
Fax: +49 (0)6241-95480-25
Email: sds@chemservice-group.com

Contact: sds@chemservice-group.com**Abbreviations and acronyms:**

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
MARPOL: (from Marine Pollutant) International Convention for the Prevention of Marine Pollution from Ships
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
UN: United Nations (also UNO: United Nations Organization)
NOEC: No Observed Effect Concentration
OECD: Organisation for Economic Co-operation and Development
ASTM: American Society for Testing and Materials
WAF: Water Accommodated Fraction
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Ox. Liq. 2: Oxidising Liquids, Hazard Category 2
Met. Corr. 1: Corrosive to metals, Hazard Category 1
Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

*** Data compared to the previous version altered.**