

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 05/28/2018 Revision date: 05/28/2018 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : Pakz Coffee Equipment Cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Cleaner

1.3. Details of the supplier of the safety data sheet

Manufacturer

Urnex Brands, LLC 700 Executive Blvd. Elmsford, NY 10523 USA T +1-914-963-2042 F +1-914-963-2145 info@urnex.com Distributor

1.4. Emergency telephone number

Emergency number : International (Infotrac): +1 (352) 323-3500

US (Infotrac): 800-535-5053

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

GHS classification

Skin Irrit. 2 Eye Irrit. 2A

2.2. Label elements

GHS labelling

Hazard pictograms (GHS)



GHS07

Signal word (GHS) : Warning

Hazard statements (GHS) : Causes skin irritation. Causes serious eye irritation.

Precautionary statements (GHS)

: Wash hands, forearms and face thoroughly after handling. Wear protective gloves, eye protection. If on skin: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for

protection. If on skin: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

05/28/2018 EN (English) Page 1

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

| Name | Product identifier | % |
|---------------------|----------------------|-----------|
| Sodium metasilicate | (CAS-No.) 6834-92-0 | 15 – 40 |
| Sodium percarbonate | (CAS-No.) 15630-89-4 | 3 – 7 |
| Sodium hydroxide | (CAS-No.) 1310-73-2 | 0.1 - < 1 |

^{*}Chemical name. CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First aid measures

Description of first aid measures

First-aid measures after inhalation

: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact

: IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Get medical advice/attention if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

: May cause irritation to the respiratory tract.

Symptoms/effects after skin contact

: Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the

Symptoms/effects after eye contact

: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Symptoms/effects after ingestion

: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and

Indication of any immediate medical attention and special treatment needed

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. **Extinguishing media**

Suitable extinguishing media

: Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media

: Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard

: Products of combustion may include, and are not limited to: oxides of carbon.

Reactivity

: No dangerous reactions known under normal conditions of use.

Advice for firefighters

Protection during firefighting

: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures

: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. **Environmental precautions**

Prevent entry to sewers and public waters.

Methods and material for containment and cleaning up

For containment

: Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning up

: Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

05/28/2018 EN (English) 2/6

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Avoid breathing dust. Do not swallow. Handle and open

container with care. When using do not eat, drink or smoke. Avoid generating dust. Good

housekeeping is important to prevent accumulation of dust.

Hygiene measures : Take off contaminated clothing and wash it before reuse. Wash hands, forearms and face

thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Sodium metasilicate (6834- | 92-0) | |
|----------------------------|------------------------|----------|
| Not applicable | | |
| Sodium percarbonate (1563 | 0-89-4) | |
| Not applicable | | |
| Sodium hydroxide (1310-73 | -2) | |
| ACGIH | ACGIH Ceiling (mg/m³) | 2 mg/m³ |
| OSHA | OSHA PEL (TWA) (mg/m³) | 2 mg/m³ |
| IDLH | US IDLH (mg/m³) | 10 mg/m³ |

8.2. Exposure controls

NIOSH

Appropriate engineering controls : Ensure good ventilation of the work station.

NIOSH REL (ceiling) (mg/m³)

Hand protection : Wear suitable gloves resistant to chemical penetration.

Eye protection : Wear eye protection.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection

must be based on known or anticipated exposure levels, the hazards of the product and the

2 mg/m³

safe working limits of the selected respirator.

Environmental exposure controls : Avoid release to the environment.

Other information : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or

smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Light blue granules

Colour : Light blue
Odour : None

Odour threshold : No data available

pH : 12.31 (10% solution) Alkali Reserve: 2.03g

Melting point : No data available Freezing point : No data available Boiling point No data available Flash point : Not applicable Relative evaporation rate (butylacetate=1) : No data available Flammability (solid, gas) Not flammable · No data available Vapour pressure Relative vapour density at 20 °C : No data available

Relative density : 0.95

Solubility : No data available Partition coefficient n-octanol/water : No data available

05/28/2018 EN (English) 3/6

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive limits : No data available
Explosive properties : No data available
Oxidising properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Incompatible materials.

10.5. Incompatible materials

Strong acids.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified.

Acute toxicity (dermal) : Not classified.

Acute toxicity (inhalation) : Not classified.

| Sodium metasilicate (6834-92-0) | |
|---------------------------------|------------|
| LD50 oral rat | 1153 mg/kg |

| Sodium percarbonate (15630-89-4) | |
|----------------------------------|--------------|
| LD50 oral rat | 1034 mg/kg |
| LD50 dermal rabbit | > 2000 mg/kg |

| Sodium hydroxide (1310-73-2) | |
|------------------------------|-----------------|
| LD50 oral rat | 140 - 340 mg/kg |
| LD50 dermal rabbit | 1350 mg/kg |

Skin corrosion/irritation : Causes skin irritation.

pH: 12.31 (10% solution) Alkali Reserve: 2.03g

Serious eye damage/irritation : Causes serious eye irritation.

pH: 12.31 (10% solution) Alkali Reserve: 2.03g

Respiratory or skin sensitisation : Not classified.
Germ cell mutagenicity : Not classified.
Carcinogenicity : Not classified.
Reproductive toxicity : Not classified.
STOT-single exposure : Not classified.
STOT-repeated exposure : Not classified.
Aspiration hazard : Not classified.

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

05/28/2018 EN (English) 4/6

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Symptoms/effects after skin contact : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the

Symptoms/effects after eye contact : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

| Sodium metasilicate (6834-92-0) | |
|----------------------------------|---|
| LC50 fish 1 | 210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) |
| LC50 fish 2 | 210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio) |
| Sodium percarbonate (15630-89-4) | |
| LC50 fish 1 | 70.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| EC50 Daphnia 1 | 4.9 mg/l (Exposure time: 48 h - Species: Daphnia pulex) |
| Sodium hydroxide (1310-73-2) | |
| LC50 fish 1 | 45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) |
| EC50 Daphnia 1 | 40 mg/l |

12.2. Persistence and degradability

| Pakz Coffee Equipment Cleaner | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

12.3. Bioaccumulative potential

| Pakz Coffee Equipment Cleaner | |
|----------------------------------|------------------|
| Bioaccumulative potential | Not established. |
| 0 11 1 (45000.00.4) | |
| Sodium percarbonate (15630-89-4) | |

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : No other effects known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. The generation of waste should be avoided or minimized wherever possible.

SECTION 14: Transport information

Department of Transportation (DOT) and Transportation of Dangerous Goods (TDG)

In accordance with DOT/TDG

Not regulated

SECTION 15: Regulatory information

15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories

05/28/2018 EN (English) 5/6

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

SECTION 16: Other information

Revision date : 05/28/2018
Other information : None.

Prepared by : Nexreg Compliance Inc.

www.Nexreg.com



SDS HazCom 2012 - WHMIS 2015 (NexReg)

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

05/28/2018 EN (English) 6/6